



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/808,986	03/25/2004	Roger L. Schultz	HES 2003-IP-012204U1	7762
29920	7590	05/30/2007		
JOHN W. WUSTENBERG			EXAMINER	
P.O. BOX 1431			SCHNEIDER, CRAIG M	
DUNCAN, OK 73536				
			ART UNIT	PAPER NUMBER
			3753	
			MAIL DATE	DELIVERY MODE
			05/30/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/808,986

Applicant(s)

SCHULTZ ET AL.

Examiner

Craig M. Schneider

Art Unit

3753

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 April 2007.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-102 is/are pending in the application.
- 4a) Of the above claim(s) 13-17, 33, 34, 46-52, 60-86, and 89-102 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-12, 18-32, 35-45, 53-59, 87-88 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 25 March 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 3/25/04 & 6/27/05.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application
- ☐ Other: _____

DETAILED ACTION

Election/Restrictions

1. Applicant's election without traverse of Group I, Species A in the reply filed on 4/17/07 is acknowledged.
2. Claims 13-17, 33, 34, 46-52, 60-86, and 89-102 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on 4/17/07.

Information Disclosure Statement

3. On the IDS filed 6/27/05, the examiner inserted "(English abstract only)" in regards to JP62251508A to make the record clear that only the abstract was provided. Further the examiner clarified that the NPL provided was for the "International application number PCT/GB2005/000092".

Drawings

4. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: "700". Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If

Art Unit: 3753

the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

5. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the exit port of the at least one exit flowline is disposed near the upstream end of the chamber as recited in claim 7 and 42 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

7. Claims 29 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

8. Claim 29 recites the limitation "the second fluidic oscillator insert" in line 1. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

9. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

10. Claims 1-12, 18-19, 24, 35-45, 53-56 and 87-88 are rejected under 35 U.S.C. 102(b) as being anticipated by Bauer (4,157,161).

Bauer discloses an apparatus (40) for creating a pulsating fluid flow comprising an inlet (41) into which fluid flows, a chamber (42) having an upstream end and a downstream end, wherein the chamber is defined by a pair of outwardly-projecting sidewalls and wherein the inlet is disposed at the upstream end of the chamber, at least two feedback passages (48 and 49) having opposed entrances at the downstream end of the chamber and opposed exits at the upstream end of the chamber near where the chamber joins the inlet, at least one feedback outlet (51) leaving each of the feedback

Art Unit: 3753

passages, a feedback cavity (44) disposed at the downstream end of the chamber, and at least one exit flowline leaving the at least one feedback outlet, wherein the at least one exit flowline has an exit port (col. 7, line 11 to col. 8, line 23).

Regarding claim 18, the apparatus further comprising at least one fluid outlet (52) leaving the feedback cavity.

Regarding claim 24, wherein the apparatus has a second inlet, chamber and all the other items listed in the claim are addressed with the second nozzle shown in Figures 1 and 4.

Claim Rejections - 35 USC § 103

11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

12. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 3753

13. Claims 20-23 and 57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bauer in view of Facteau et al. (5,228,508).

Bauer discloses all the features of the claimed invention except that the apparatus is disposed on a mandrel to form a fluidic oscillator insert. Facteau et al. disclose the use of a fluidic oscillator insert in a mandrel (col 4, line 42 to col. 5, line 2).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the mandrel of Facteau et al. with the fluidic oscillator device of Bauer, in order to clean a well.

14. Claims 25-32 and 58-59 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bauer in view of Facteau et al.

Bauer discloses all the features of the claimed invention except that the two oscillator devices are disposed in a mandrel. Facteau et al. disclose the use of a fluidic device in a mandrel. Facteau et al. does not disclose the use of two fluid oscillators in a mandrel.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize two fluidic oscillators in a mandrel, since it has been held that mere duplication of parts involves only routine skill in the art.

Conclusion

15. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Webb et al. (6,976,507) is a patent issued to the assignee with the same subject matter.


Art Unit: 3753

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig M. Schneider whose telephone number is (571) 272-3607. The examiner can normally be reached on M-F 8:30 -5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eric Keasel can be reached on (571) 272-4929. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CMS *CMS*
May 23, 2007



ERIC KEASEL
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700